

**VEHICLES**

5 Alarm Fire Apparatus Inc. LaMAS Contract # 407901

Model		LaMAS	LaMAS	LaMAS	LaMAS	LaMAS
Number	Vehicle Description	1 Unit	2-3 Units	4-7 Units	8-24 Units	25+ Units
		3.0%	3.5%	4.0%	4.5%	5.0%
		\$950,955.58	\$946,053.75	\$941,151.92	\$936,250.08	\$931,348.25
SPH-100-472B	100' Aerial Platform (Base), Engine: Cummins ISX 11.9 425 HP, Allison 4000 EVS 5-Speed automatic transmission, 23,000 lb front axle, 52,000 lb tandem rear axle, 230 inch wheelbase, seating for six, stainless steel body, high left side compartments, high right side compartments, roll up doors, internal ladder storage 300 gallon poly tank, 1500 gpm single stage pump, three crosslays, center rear hose bed, 115' ground ladder compliment, 100' mid mounted box boom, attached climbing ladder, 1000 lb capacity platform, two 1000 gpm nozzles, halogen emergency lighting package, NFPA Standard 1901 fully compliant vehicle. Many options are available.					
5ASRD2-2010	<b>Service/Rescue, Dodge 5500, 19,500 GVW, Two Door</b>	\$133,999.48	\$133,308.76	\$132,618.04	\$131,927.32	\$131,236.60
	2 door commercial chassis with seating for two (2) firefighters, 6.7L Cummins Diesel engine, ambulance prep package, 6 speed automatic transmission, approximately 84 inch cab to rear axle area with a 5 Alarm extruded aluminum compartment body unit with (4) adjustable trays, (5) rollouts trays, Whelen LED lights all zones. 4 - 750 Watt, 120 volt FRC Focus lights, 2 push-ups light and 2 tripods. Unit fully meets current NFPA Standards.					
5ASRF2-2010	<b>Service/Rescue, Ford F550 Super Duty, 19,500 GVW, Two Door</b>	\$133,401.57	\$132,713.93	\$132,026.29	\$131,338.66	\$130,651.02
	2 door commercial chassis with seating for two (2) firefighters, 6.0L Diesel engine, ambulance prep package, 5 speed automatic transmission, approximately 84 inch cab to rear axle area with a 5 Alarm extruded aluminum compartment body unit with (4) adjustable trays, (5) rollouts trays, Whelen LED lights all zones. 4 - 750 Watt, 120 volt FRC Focus lights, 2 push-ups light and 2 tripods. Unit fully meets current NFPA Standards.					
5ASRD4-2010	<b>Service/Rescue, Dodge 5500, 19,500 GVW, Four Door</b>	\$138,938.91	\$138,222.73	\$137,506.55	\$136,790.37	\$136,074.19

<b>Model</b>		<b>1</b>	<b>2-3</b>	<b>4-7</b>	<b>8-24</b>	<b>25+</b>
<b>Number</b>	<b>Vehicle Description</b>	<b>Unit</b>	<b>Units</b>	<b>Units</b>	<b>Units</b>	<b>Units</b>
		<b>3.0%</b>	<b>3.5%</b>	<b>4.0%</b>	<b>4.5%</b>	<b>5.0%</b>
	4 door commercial chassis with seating for four (4) firefighters, 6.7L Cummins Diesel engine, ambulance prep package, 6 speed automatic transmission, approximately 84 inch cab to rear axle area with a 5 Alarm extruded aluminum compartment body unit with (4) adjustable trays, (5) rollouts trays, Whelen LED lights all zones. 4- 750 Watt, 120 volt FRC Focus lights, 2 push-ups light and 2 tripods. Unit fully meets current NFPA Standards.					

<b>5ASRF4-2010</b>	<b>Service/Rescue, Ford F550 Super Duty, 19,500 GVW, Four Door</b>	<b>\$136,190.32</b>	<b>\$135,488.31</b>	<b>\$134,786.29</b>	<b>\$134,084.28</b>	<b>\$133,382.27</b>
	4 door commercial chassis with seating for four (4) firefighters, 6.0L Diesel engine, ambulance prep package, 5 speed automatic transmission, approximately 84 inch cab to rear axle area with a 5 Alarm extruded aluminum compartment body unit with (4) adjustable trays, (5) rollouts trays, Whelen LED lights all zones. 4 - 750 Watt, 120 volt FRC Focus lights, 2 push-ups lights and 2 tripods. Unit fully meets current NFPA Standards.					

<b>5ABF2-2010</b>	<b>Brush Truck, 2 Door, 4 X 4, Ford F550 Super Duty, 19,500 GVW</b>	<b>\$101,437.46</b>	<b>\$100,914.59</b>	<b>\$100,391.71</b>	<b>\$99,868.84</b>	<b>\$99,345.97</b>
	2 door commercial chassis with seating for two (2) firefighters, 6.0L Diesel engine, ambulance prep package, 5 speed automatic transmission, approximately 84 inch cab to axle, 5 Alarm extruded aluminum dual workstation compartment bed unit equipped, poly water tank, 240 GPM pump, 200 foot 1 inch hose reel, nozzles included, 12,000# Warn Tabor Winch, Road Armor Bumper with lights, Whelen LED lights all zones. Unit fully meets current NFPA Standards.					

<b>5ABD2-2010</b>	<b>Brush Truck, 2 Door, 4 X 4, Dodge 5500, 19,500 GVW</b>	<b>\$98,952.32</b>	<b>\$98,442.26</b>	<b>\$97,932.19</b>	<b>\$97,422.13</b>	<b>\$96,912.07</b>
	2 door commercial chassis with seating for two (2) firefighters, 6.7L Cummins engine, ambulance prep package, 6 speed automatic transmission, approximately 84 inch cab to axle, 5 Alarm extruded aluminum dual workstation compartment bed unit equipped, poly water tank, 240 GPM pump, 200 foot 1 inch hose reel, nozzles included, 12,000# Winch Warn Tabor Winch, Road Armor Bumper with lights, Whelen LED lights all zones. Unit fully meets current NFPA Standards.					

<b>5ABFE2-2010</b>	<b>Brush Truck, Extended Cab, 4 X 4, Ford F550 Super Duty, 19,500 GVW</b>	<b>\$104,443.73</b>	<b>\$103,905.36</b>	<b>\$103,366.99</b>	<b>\$102,828.62</b>	<b>\$102,290.25</b>

Model Number	Vehicle Description	1 Unit 3.0%	2-3 Units 3.5%	4-7 Units 4.0%	8-24 Units 4.5%	25+ Units 5.0%
	2 door commercial extended cab chassis with seating for two (2) firefighters, 6.0L Diesel engine, ambulance prep package, 5 speed automatic transmission, approximately 84 inch cab to axle, 5 Alarm extruded aluminum dual workstation compartment bed unit equipped, poly water tank, 240 GPM pump, 200 foot 1 inch hose reel, nozzles included, 12,000# Tabor Winch, Road Armor Bumper with lights, Whelen LED lights all zones. Unit fully meets current NFPA Standards.					
<b>5ABD4-2010</b>	<b>Brush Truck, 4 Door, 4 X 4, Dodge 5500, 19,500 GVW</b>	<b>\$106,749.47</b>	<b>\$106,199.22</b>	<b>\$105,648.96</b>	<b>\$105,098.71</b>	<b>\$104,548.45</b>
	4 door commercial chassis with seating for four (4) firefighters, 6.7L Cummins engine, ambulance prep package, 6 speed automatic transmission, approximately 84 inch cab to axle, 5 Alarm extruded aluminum dual workstation compartment bed unit equipped, poly water tank, 240 GPM pump, 200 foot 1 inch hose reel, nozzles included, 12,000# Warn Tabor Winch, Road Armor Bumper with lights, Whelen LED lights all zones. Unit fully meets current NFPA Standards.					
<b>5ABED2-2010</b>	<b>Econo - Brush Truck, 2 Door, 2 X 4, Dodge 3500, 14,500 GVW</b>	<b>\$65,960.00</b>	<b>\$65,620.00</b>	<b>\$65,280.00</b>	<b>\$64,940.00</b>	<b>\$64,600.00</b>
	2 door commercial chassis with seating for two (2) firefighters, 6.7L Cummins engine, package, 6 speed automatic transmission, approximately 84 inch cab to axle, All aluminum bed with 3/16 diamond plate with headache rack, 250-300 Gallon poly water tank, with no foam system, 240 GPM pump 18hp Briggs engine, 200 foot 1 inch hose reel, nozzles included, 12,000# Winch Warn Tabor Winch, Brush Guard with winch carrier, Whelen LED lights all zones. Unit fully meets current NFPA Standards.					
<b>5ASPIHTM-2010</b>	<b>International Chassis Model 4400 Structural Pumper High/Low Side Hale, Top Mount</b>	<b>\$252,605.85</b>	<b>\$251,303.76</b>	<b>\$250,001.66</b>	<b>\$248,699.57</b>	<b>\$247,397.48</b>
	Top Mount Engine; IH MaxxForce 9 330HP, Allison 3000 EVS 5-Speed automatic transmission, 12,000 lb front axle, 23,500 lb rear axle, approximately 205 inch wheelbase, seating for three, all marine grade aluminum body and subframe, high side left side compartments, low side right side compartments, pan or roll up doors, roll up doors will have LED light system, 1000 gallon poly tank, top mounted controls, stainless steel opening side panel, 1500 gallon single stage pump, two crosslays, rear discharge or intake, 12 Volt Floodlights, emergency lighting package. Unit fully meets current NFPA Standards.					
<b>5ASPIHSM-2010</b>	<b>International Chassis Model 4400 Structural Pumper High/Low Side Hale, Side Mount</b>	<b>\$249,109.00</b>	<b>\$247,824.93</b>	<b>\$246,540.86</b>	<b>\$245,256.80</b>	<b>\$243,972.73</b>

Model Number	Vehicle Description	1 Unit 3.0%	2-3 Units 3.5%	4-7 Units 4.0%	8-24 Units 4.5%	25+ Units 5.0%
	Side Mount Engine; IH MaxxFORCE 9 330HP, Allison 3000 EVS 5-Speed automatic transmission, 12,000 lb front axle, 23,500 lb rear axle, approximately 205 inch wheelbase, seating for three, all marine grade aluminum body and subframe, high side left side compartments, low side right side compartments, pan or roll up doors, roll up doors will have LED light system, 1000 gallon poly tank, side mounted controls, stainless steel opening side panel, 1500 gallon single stage pump, two crosslays, rear discharge or intake, 12 Volt Floodlights, emergency lighting package. Unit fully meets current NFPA Standards.					
<b>5ASPIWTM-2010</b>	<b>International Chassis Model 4400 Structural Pumper High/Low Side Waterous, Top Mount</b>	<b>\$253,606.20</b>	<b>\$252,298.95</b>	<b>\$250,991.70</b>	<b>\$249,684.45</b>	<b>\$248,377.21</b>
	Top Mount Engine; IH MaxxFORCE 9 330HP, Allison 3000 EVS 5-Speed automatic transmission, 12,000 lb front axle, 23,500 lb rear axle, approximately 205 inch wheelbase, seating for three, all marine grade aluminum body and subframe, high side left side compartments, low side right side compartments, pan or roll up doors, roll up doors will have LED light system, 1000 gallon poly tank, side mounted controls, stainless steel opening side panel, 1500 gallon single stage pump, two crosslays, rear discharge, or intake, 12 Volt Floodlights, emergency lighting package. Unit fully meets current NFPA Standards.					
<b>5ASPIWSM-2010</b>	<b>International Chassis Model 4400 Structural Pumper High/Low Side Waterous, Side Mount</b>	<b>\$250,109.35</b>	<b>\$248,820.13</b>	<b>\$247,530.90</b>	<b>\$246,241.68</b>	<b>\$244,952.46</b>
	Side Mount Engine; IH MaxxFORCE 9 330HP, Allison 3000 EVS 5-Speed automatic transmission, 12,000 lb front axle, 23,500 lb rear axle, approximately 205 inch wheelbase, seating for three, all marine grade aluminum body and subframe, high side left side compartments, low side right side compartments, pan or roll up doors, roll up doors will have LED light system, 1000 gallon poly tank, side mounted controls, stainless steel opening side panel, 1500 gallon single stage pump, two crosslays, rear discharge or intake, 12 Volt Floodlights, emergency lighting package. Unit fully meets current NFPA Standards.					
<b>5ASPIDTM-2010</b>	<b>International Chassis Model 4400 Structural Pumper High/Low Side Darley, Top Mount</b>	<b>\$252,304.22</b>	<b>\$251,003.68</b>	<b>\$249,703.14</b>	<b>\$248,402.61</b>	<b>\$247,102.07</b>

Model		1	2-3	4-7	8-24	25+
Number	Vehicle Description	Unit	Units	Units	Units	Units
		3.0%	3.5%	4.0%	4.5%	5.0%
	Top Mount Engine; IH MaxxFace 9 330HP, Allison 3000 EVS 5-Speed automatic transmission, 12,000 lb front axle, 23,500 lb rear axle, approximately 205 inch wheelbase, seating for three, all marine grade aluminum body and subframe, high side left side compartments, low side right side compartments, pan or roll up doors, roll up doors will have LED light system, 1000 gallon poly tank, side mounted controls, stainless steel opening side panel, 1500 gallon single stage pump, two crosslays, rear discharge, or intake, 12 Volt Floodlights, emergency lighting package, NFPA 1901 compliant, see list of available options.					

5ASPIDSM-2010	International Chassis Model 4400 Structural Pumper High/Low Side Darley, Side Mount	\$248,807.36	\$247,524.84	\$246,242.33	\$244,959.82	\$243,677.31
	Engine; IH MaxxFace 9 330HP, Allison 3000 EVS 5-Speed automatic transmission, 12,000 lb front axle, 23,500 lb rear axle, approximately 205 inch wheelbase, seating for three, all marine grade aluminum body and subframe, high side left side compartments, low side right side compartments, pan or roll up doors, roll up doors will have LED light system, 1000 gallon poly tank, side mounted controls, stainless steel opening side panel, 1500 gallon single stage pump, two crosslays, rear discharge or intake, 12 Volt Floodlights, emergency lighting package. Unit fully meets current NFPA Standards.					

**OPTIONS**

		LaMAS	LaMAS	LaMAS	LaMAS	LaMAS
		1	2-3	4-7	8-24	25+
Model Option	Option Description	Unit	Units	Units	Units	Units
Number		3.0%	3.5%	4.0%	4.5%	5.0%
5ASRD2-2010	Service/Rescue, Dodge 5500, 19,500 GVW, Swo Door					
Service/Rescue						
5ASRD2-1200	Chassis and Body Options					
SR1201	12,000 Pound Winch with front grill guard and winch holder	\$6,057.17	\$6,025.94	\$5,994.72	\$5,963.50	\$5,932.28
5ASRD2-1300	Generator					
SP1301	Shaft Drive Generator 15KW	\$12,376.54	\$12,312.74	\$12,248.95	\$12,185.15	\$12,121.35
SR1301	Power Take off Hydraulic Generator 8KW	\$12,376.54	\$12,312.74	\$12,248.95	\$12,185.15	\$12,121.35

Model		1 Unit	2-3 Units	4-7 Units	8-24 Units	25+ Units
Number	Vehicle Description	3.0%	3.5%	4.0%	4.5%	5.0%
SR1302	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens)	\$694.52	\$690.94	\$687.36	\$683.78	\$680.20
SR1303	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens)	\$805.10	\$800.95	\$796.80	\$792.65	\$788.50
<b>5ASRD2-1400</b>	<b>Hose Reels</b>					
SR1401	100' Hose Reels for Rescue system each/ hose	\$2,404.23	\$2,391.84	\$2,379.45	\$2,367.05	\$2,354.66
SR1402	250' Electric Cable Reel w/12/3 electric cord	\$2,607.64	\$2,594.20	\$2,580.76	\$2,567.32	\$2,553.88
<b>5ASRF2-2010</b>	<b>Service/Rescue, Ford F550 Super Duty, 19,500 GVW, Two Door</b>					
<b>5ASRF2-1200</b>	<b>Chassis and Body Options</b>					
SR1201	12,000 Pound Winch with front grill guard and winch holder	\$6,057.17	\$6,025.94	\$5,994.72	\$5,963.50	\$5,932.28
<b>5ASRF2-1300</b>	<b>Generator</b>					
SP1301	Shaft Drive Generator 15KW	\$12,376.54	\$12,312.74	\$12,248.95	\$12,185.15	\$12,121.35
SR1301	Power Take off Hydraulic Generator 8KW	\$12,376.54	\$12,312.74	\$12,248.95	\$12,185.15	\$12,121.35
SR1302	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens)	\$694.52	\$690.94	\$687.36	\$683.78	\$680.20
SR1303	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens)	\$805.10	\$800.95	\$796.80	\$792.65	\$788.50
<b>5ASRF2-1400</b>	<b>Hose Reels</b>					
SR1401	100' Hose Reels for Rescue system each/ hose	\$2,404.23	\$2,391.84	\$2,379.45	\$2,367.05	\$2,354.66
SR1402	250' Electric Cable Reel w/12/3 electric cord	\$2,607.64	\$2,594.20	\$2,580.76	\$2,567.32	\$2,553.88
<b>5ASRD4-2010</b>	<b>Service/Rescue, Dodge 5500, 19,500 GVW, Four Door</b>					
<b>Service/Rescue</b>						
<b>5ASRD4-1200</b>	<b>Chassis and Body Options</b>					
SR1201	12,000 Pound Winch with front grill guard and winch holder	\$6,057.17	\$6,025.94	\$5,994.72	\$5,963.50	\$5,932.28
<b>5ASRD4-1300</b>	<b>Generator</b>					
SP1301	Shaft Drive Generator 15KW	\$12,376.54	\$12,312.74	\$12,248.95	\$12,185.15	\$12,121.35
SR1301	Power Take off Hydraulic Generator 8KW	\$12,376.54	\$12,312.74	\$12,248.95	\$12,185.15	\$12,121.35
SR1302	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens)	\$694.52	\$690.94	\$687.36	\$683.78	\$680.20
SR1303	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens)	\$805.10	\$800.95	\$796.80	\$792.65	\$788.50

Model		1	2-3	4-7	8-24	25+
Number	Vehicle Description	Unit	Units	Units	Units	Units
		3.0%	3.5%	4.0%	4.5%	5.0%
<b>5ASRD4-1400</b>	<b>Hose Reels</b>					
SR1401	100' Hose Reels for Rescue system each/ hose	<b>\$2,404.23</b>	\$2,391.84	\$2,379.45	\$2,367.05	\$2,354.66
SR1402	250' Electric Cable Reel w/12/3 electric cord	<b>\$2,607.64</b>	\$2,594.20	\$2,580.76	\$2,567.32	\$2,553.88
<b>5ASRF4-2010</b>	<b>Service/Rescue, Ford F550 Super Duty, 19,500 GVW, Four Door</b>					
<b>Service/Rescue</b>						
<b>5ASRF4-1200</b>	<b>Chassis and Body Options</b>					
SR1201	12,000 Pound Winch with front grill guard and winch holder	<b>\$6,057.17</b>	\$6,025.94	\$5,994.72	\$5,963.50	\$5,932.28
<b>5ASRF4-1300</b>	<b>Generator</b>					
SP1301	Shaft Drive Generator 15KW	<b>\$12,376.54</b>	\$12,312.74	\$12,248.95	\$12,185.15	\$12,121.35
SR1301	Power Take off Hydraulic Generator 8KW	<b>\$12,376.54</b>	\$12,312.74	\$12,248.95	\$12,185.15	\$12,121.35
SR1302	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens)	<b>\$694.52</b>	\$690.94	\$687.36	\$683.78	\$680.20
SR1303	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens)	<b>\$805.10</b>	\$800.95	\$796.80	\$792.65	\$788.50
<b>5ASRF4-1400</b>	<b>Hose Reels</b>					
SR1401	100' Hose Reels for Rescue system each/ hose	<b>\$2,404.23</b>	\$2,391.84	\$2,379.45	\$2,367.05	\$2,354.66
SR1402	250' Electric Cable Reel w/12/3 electric cord	<b>\$2,607.64</b>	\$2,594.20	\$2,580.76	\$2,567.32	\$2,553.88
<b>5ABF2-2010</b>	<b>Brush Truck, 2 Door, 4 X 4, Ford F550 Super Duty, 19,500 GVW</b>					
<b>Brush Truck</b>						
<b>5ABF2-2100</b>	<b>Fire Pump Options</b>					
B2101	Hale HPX200-H20, 240 gpm Honda Engine w/6 Gal Gas Tank w/Fgt	<b>\$2,660.23</b>	\$2,646.51	\$2,632.80	\$2,619.09	\$2,605.38
B2103	Hale HPX200-BD26, 240 gpm Briggs Diesel Engine	<b>\$6,385.03</b>	\$6,352.11	\$6,319.20	\$6,286.29	\$6,253.38
<b>5ABF2-2200</b>	<b>Hose Reels - Nozzle Options</b>					
B2201	Additional hose reel (with 200" of 1" hose and nozzle)	<b>\$3,936.56</b>	\$3,916.27	\$3,895.98	\$3,875.69	\$3,855.39
B2202	Stainless Steel Valves	<b>\$1,400.43</b>	\$1,393.21	\$1,385.99	\$1,378.77	\$1,371.55
B2203	Bumper Deck Monitor Turrent/remote pump start/valve control	<b>\$10,679.70</b>	\$10,624.65	\$10,569.60	\$10,514.55	\$10,459.50
B2204	Bumper Nozzles Control/remote pump start/valve control	<b>\$2,088.74</b>	\$2,077.97	\$2,067.21	\$2,056.44	\$2,045.67
<b>5ABF2-2300</b>	<b>Booster tank, Foam System Option</b>					

Model Number	Vehicle Description	1 Unit	2-3 Units	4-7 Units	8-24 Units	25+ Units
		3.0%	3.5%	4.0%	4.5%	5.0%
B2301	400 Gallon tank, Standard Equipment with 10 gallon foam cell	\$3,883.77	\$3,863.75	\$3,843.73	\$3,823.71	\$3,803.70
B2302	Additional 10 Gallon Foam cell for around the pump system	\$609.90	\$606.75	\$603.61	\$600.47	\$597.32
B2303	300 Gallon tank with 10 gallon foam cell	\$3,338.63	\$3,321.42	\$3,304.21	\$3,287.00	\$3,269.80
<b>5ABF2-2400 Compartment</b>						
B2401	Compartment in place of work station on passenger side (includes Two roll out Trays and one adjustable shelf)	\$2,292.35	\$2,280.54	\$2,268.72	\$2,256.90	\$2,245.09
<b>5ABF2-2500 Electrical Options</b>						
B2501	12 Volt 300 Watts Focus Light on four foot Telepole each	\$855.07	\$850.67	\$846.26	\$841.85	\$837.44
<b>5ABD2-2010 Brush Truck, 2 Door, 4 X 4, Dodge 5500, 19,500 GVW</b>						
<b>Brush Truck</b>						
<b>5ABD2-2100 Fire Pump Options</b>						
B2101	Hale HPX200-H20, 240 gpm Honda Engine w/6 Gal Gas Tank w/Fgt	\$2,660.23	\$2,646.51	\$2,632.80	\$2,619.09	\$2,605.38
B2103	Hale HPX200-BD26, 240 gpm Briggs Diesel Engine	\$6,385.03	\$6,352.11	\$6,319.20	\$6,286.29	\$6,253.38
<b>5ABD2-2200 Hose Reels - Nozzle Options</b>						
B2201	Additional hose reel (with 200" of 1" hose and nozzle)	\$3,936.56	\$3,916.27	\$3,895.98	\$3,875.69	\$3,855.39
B2202	Stainless Steel Valves	\$1,400.43	\$1,393.21	\$1,385.99	\$1,378.77	\$1,371.55
B2203	Bumper Deck Monitor Turrent/remote pump start/valve control	\$10,679.70	\$10,624.65	\$10,569.60	\$10,514.55	\$10,459.50
B2204	Bumper Nozzles Control/remote pump start/valve control	\$2,088.74	\$2,077.97	\$2,067.21	\$2,056.44	\$2,045.67
<b>5ABD2-2300 Booster tank, Foam System Option</b>						
B2301	400 Gallon tank, Standard Equipment with 10 gallon foam cell	\$3,883.77	\$3,863.75	\$3,843.73	\$3,823.71	\$3,803.70
B2302	Additional 10 Gallon Foam cell for around the pump system	\$609.90	\$606.75	\$603.61	\$600.47	\$597.32
B2303	300 Gallon tank with 10 gallon foam cell	\$3,338.63	\$3,321.42	\$3,304.21	\$3,287.00	\$3,269.80
<b>5ABD2-2400 Compartment</b>						
B2401	Compartment in place of work station on passenger side (includes Two roll out Trays and one adjustable shelf)	\$2,292.35	\$2,280.54	\$2,268.72	\$2,256.90	\$2,245.09
<b>5ABD2-2500 Electrical Options</b>						
B2501	12 Volt 300 Watts Focus Light on four foot Telepole each	\$855.07	\$850.67	\$846.26	\$841.85	\$837.44
<b>5ABFE4-2010 Brush Truck, Extended Cab, 4 X 4, Ford F550 Super Duty, 19,500 GVW</b>						
<b>Brush Truck</b>						

Model Number	Vehicle Description	1 Unit	2-3 Units	4-7 Units	8-24 Units	25+ Units
		3.0%	3.5%	4.0%	4.5%	5.0%
<b>5ABFE2-2100</b>	<b>Fire Pump Options</b>					
B2101	Hale HPX200-H20, 240 gpm Honda Engine w/6 Gal Gas Tank w/Fgt	<b>\$2,660.23</b>	\$2,646.51	\$2,632.80	\$2,619.09	\$2,605.38
B2103	Hale HPX200-BD26, 240 gpm Briggs Diesel Engine	<b>\$6,385.03</b>	\$6,352.11	\$6,319.20	\$6,286.29	\$6,253.38
<b>5ABFE2-2200</b>	<b>Hose Reels - Nozzle Options</b>					
B2201	Additional hose reel (with 200" of 1" hose and nozzle)	<b>\$3,936.56</b>	\$3,916.27	\$3,895.98	\$3,875.69	\$3,855.39
B2202	Stainless Steel Valves	<b>\$1,400.43</b>	\$1,393.21	\$1,385.99	\$1,378.77	\$1,371.55
B2203	Bumper Deck Monitor Turrent/remote pump start/valve control	<b>\$10,679.70</b>	\$10,624.65	\$10,569.60	\$10,514.55	\$10,459.50
B2204	Bumper Nozzles Control/remote pump start/valve control	<b>\$2,088.74</b>	\$2,077.97	\$2,067.21	\$2,056.44	\$2,045.67
<b>5ABFE2-2300</b>	<b>Booster tank, Foam System Option</b>					
B2301	400 Gallon tank, Standard Equipment with 10 gallon foam cell	<b>\$3,883.77</b>	\$3,863.75	\$3,843.73	\$3,823.71	\$3,803.70
B2302	Additional 10 Gallon Foam cell for around the pump system	<b>\$609.90</b>	\$606.75	\$603.61	\$600.47	\$597.32
B2303	300 Gallon tank with 10 gallon foam cell	<b>\$3,338.63</b>	\$3,321.42	\$3,304.21	\$3,287.00	\$3,269.80
<b>5ABFE2-2400</b>	<b>Compartment</b>					
B2401	Compartment in place of work station on passenger side (includes Two roll out Trays and one adjustable shelf)	<b>\$2,292.35</b>	\$2,280.54	\$2,268.72	\$2,256.90	\$2,245.09
<b>5ABFE2-2500</b>	<b>Electrical Options</b>					
B2501	12 Volt 300 Watts Focus Light on four foot Telepole each	<b>\$855.07</b>	\$850.67	\$846.26	\$841.85	\$837.44
<b>5ABD4-2010</b>	<b>Brush Truck, 4 Door, 4 X 4, Dodge 5500, 19,500 GVW</b>					
<b>Brush Truck</b>						
<b>5ABD4-2100</b>	<b>Fire Pump Options</b>					
B2101	Hale HPX200-H20, 240 gpm Honda Engine w/6 Gal Gas Tank w/Fgt	<b>\$2,660.23</b>	\$2,646.51	\$2,632.80	\$2,619.09	\$2,605.38
B2103	Hale HPX200-BD26, 240 gpm Briggs Diesel Engine	<b>\$6,385.03</b>	\$6,352.11	\$6,319.20	\$6,286.29	\$6,253.38
<b>5ABD4-2200</b>	<b>Hose Reels - Nozzle Options</b>					
B2201	Additional hose reel (with 200" of 1" hose and nozzle)	<b>\$3,936.56</b>	\$3,916.27	\$3,895.98	\$3,875.69	\$3,855.39
B2202	Stainless Steel Valves	<b>\$1,400.43</b>	\$1,393.21	\$1,385.99	\$1,378.77	\$1,371.55
B2203	Bumper Deck Monitor Turrent/remote pump start/valve control	<b>\$10,679.70</b>	\$10,624.65	\$10,569.60	\$10,514.55	\$10,459.50
B2204	Bumper Nozzles Control/remote pump start/valve control	<b>\$2,088.74</b>	\$2,077.97	\$2,067.21	\$2,056.44	\$2,045.67
<b>5ABD4-2300</b>	<b>Booster tank, Foam System Option</b>					

Model		1	2-3	4-7	8-24	25+
Number	Vehicle Description	Unit	Units	Units	Units	Units
		3.0%	3.5%	4.0%	4.5%	5.0%
B2301	400 Gallon tank, Standard Equipment with 10 gallon foam cell	\$3,883.77	\$3,863.75	\$3,843.73	\$3,823.71	\$3,803.70
B2302	Additional 10 Gallon Foam cell for around the pump system	\$609.90	\$606.75	\$603.61	\$600.47	\$597.32
B2303	300 Gallon tank with 10 gallon foam cell	\$3,338.63	\$3,321.42	\$3,304.21	\$3,287.00	\$3,269.80
<b>5ABD4-2400</b>	<b>Compartment</b>					
B2401	Compartment in place of work station on passenger side (includes Two roll out Trays and one adjustable shelf)	\$2,292.35	\$2,280.54	\$2,268.72	\$2,256.90	\$2,245.09
<b>5ABD4-2500</b>	<b>Electrical Options</b>					
B2501	12 Volt 300 Watts Focus Light on four foot Telepole each	\$855.07	\$850.67	\$846.26	\$841.85	\$837.44
<b>5ASPIHTM-2010</b>	<b>International Chassis Model 4400 Structural Pumper High/Low Side Hale, Top Mount</b>					
<b>Pumpers</b>						
<b>5ASPIHTM-1100</b>	<b>Chassis</b>					
SP1101	Engine; Cummins ISC 330 HP, Allison 3000 EVS 5-Speed automatic transmission, 18,000 lb front axle, 27,000 lb rear axle, 170 inch wheelbase, seating for six. 10" Half-Raised Roof available, No Extra Charge	\$186,623.91	\$185,661.93	\$184,699.95	\$183,737.97	\$182,775.99
SP1102	Front Bumper Extension, Storage Well, Aluminum	\$1,389.58	\$1,382.42	\$1,375.26	\$1,368.09	\$1,360.93
SP1103	Cummins 8.3 ISC 380 HP in place of 8.3 ISC 350HP	\$595.53	\$592.46	\$589.39	\$586.32	\$583.25
SP1104	Dual Standard Housing on Front of Cab for Emergency Lights	\$2,630.27	\$2,616.71	\$2,603.16	\$2,589.60	\$2,576.04
SP1105	Aluminum Wheels In Place of Wheel Covers	\$1,290.32	\$1,283.67	\$1,277.02	\$1,270.37	\$1,263.72
SP1106	Two Tone Cab Paint	\$1,290.32	\$1,283.67	\$1,277.02	\$1,270.37	\$1,263.72
SP1107	EMS Cabinet in Cab in Place of One Crew Seat	\$1,069.92	\$1,064.40	\$1,058.89	\$1,053.37	\$1,047.86
<b>5ASPIHTM-1200</b>	<b>Pump</b>					
SP1201	1500 GPM Pump in Place of 1250 GPM Pump	\$1,985.11	\$1,974.88	\$1,964.65	\$1,954.42	\$1,944.18
<b>5ASPIHTM-1300</b>	<b>Generator/Light Package</b>					
SP1301	Power Take off Hydraulic Generator 8KW	\$12,376.54	\$12,312.74	\$12,248.95	\$12,185.15	\$12,121.35
SP1302	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens) Each	\$694.52	\$690.94	\$687.36	\$683.78	\$680.20
SP1302a	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens), Set of 2	\$1,358.00	\$1,351.00	\$1,344.00	\$1,337.00	\$1,330.00
SP1303	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens) Each	\$805.10	\$800.95	\$796.80	\$792.65	\$788.50
SP1303a	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens), Set of 2	\$1,649.00	\$1,640.50	\$1,632.00	\$1,623.50	\$1,615.00
SP1304	Diesel Power 5KW Package	\$4,365.00	\$4,342.50	\$4,320.00	\$4,297.50	\$4,275.00
SP1305	FRC LED 12 Volt Surface Lights, Set of 4	\$1,552.00	\$1,544.00	\$1,536.00	\$1,528.00	\$1,520.00

Model Number	Vehicle Description	1	2-3	4-7	8-24	25+
		Unit 3.0%	Units 3.5%	Units 4.0%	Units 4.5%	Units 5.0%
SP1306	FRC LED 12 Volt w/push up Poles, Set of 2	\$2,320.73	\$2,308.76	\$2,296.80	\$2,284.84	\$2,272.88
<b>5ASPIHTM-1400</b>	<b>Hose Reels</b>					
SP1401	100' Hose Reels for Rescue system each/ hose	\$2,404.23	\$2,391.84	\$2,379.45	\$2,367.05	\$2,354.66
SP1402	250' Electric Cable Reel w/12/3 electric cord	\$2,607.64	\$2,594.20	\$2,580.76	\$2,567.32	\$2,553.88
<b>5ASPIHTM-2200</b>	<b>Hose Reels - Nozzle Options</b>					
SP2201	Hose reel (with 200" of 1" hose and nozzle)	\$3,936.56	\$3,916.27	\$3,895.98	\$3,875.69	\$3,855.39
<b>5ASPIHTM-3100</b>	<b>Foam and Ladder</b>					
SP3101	Foam Pro 1600 Injection System	\$5,820.00	\$5,790.00	\$5,760.00	\$5,730.00	\$5,700.00
SP3102	Zico Electric Ladder System	\$3,104.00	\$3,088.00	\$3,072.00	\$3,056.00	\$3,040.00
<b>5ASPIHSM-2010</b>	<b>International Chassis Model 4400 StrucSural Pumper High/Low Side Hale, Side Mount</b>					
<b>Pumpers</b>						
<b>5ASPIHSM-1100</b>	<b>Chassis</b>					
SP1101	Engine; Cummins ISC 330 HP, Allison 3000 EVS 5-Speed automatic transmission, 18,000 lb front axle, 27,000 lb rear axle, 170 inch wheelbase, seating for six.	\$186,623.91	\$185,661.93	\$184,699.95	\$183,737.97	\$182,775.99
	10" Half-Raised Roof available, No Extra Charge					
SP1102	Front Bumper Extension, Storage Well, Aluminum	\$1,389.58	\$1,382.42	\$1,375.26	\$1,368.09	\$1,360.93
SP1103	Cummins 8.3 ISC 380 HP in place of 8.3 ISC 350HP	\$595.53	\$592.46	\$589.39	\$586.32	\$583.25
SP1104	Dual Standard Housing on Front of Cab for Emergency Lights	\$2,630.27	\$2,616.71	\$2,603.16	\$2,589.60	\$2,576.04
SP1105	Aluminum Wheels In Place of Wheel Covers	\$1,290.32	\$1,283.67	\$1,277.02	\$1,270.37	\$1,263.72
SP1106	Two Tone Cab Paint	\$1,290.32	\$1,283.67	\$1,277.02	\$1,270.37	\$1,263.72
SP1107	EMS Cabinet in Cab in Place of One Crew Seat	\$1,069.92	\$1,064.40	\$1,058.89	\$1,053.37	\$1,047.86
<b>5ASPIHSM-1200</b>	<b>Pump</b>					
SP1201	1500 GPM Pump in Place of 1250 GPM Pump	\$1,985.11	\$1,974.88	\$1,964.65	\$1,954.42	\$1,944.18
<b>5ASPIHSM-1300</b>	<b>Generator/Light Package</b>					
SP1301	Power Take off Hydraulic Generator 8KW	\$12,376.54	\$12,312.74	\$12,248.95	\$12,185.15	\$12,121.35

Model Number	Vehicle Description	1 Unit	2-3 Units	4-7 Units	8-24 Units	25+ Units
		3.0%	3.5%	4.0%	4.5%	5.0%
SP1302	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens) Each	<b>\$694.52</b>	\$690.94	\$687.36	\$683.78	\$680.20
SP1302a	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens), Set of 2	<b>\$1,358.00</b>	\$1,351.00	\$1,344.00	\$1,337.00	\$1,330.00
SP1303	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens) Each	<b>\$805.10</b>	\$800.95	\$796.80	\$792.65	\$788.50
SP1303a	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens), Set of 2	<b>\$1,649.00</b>	\$1,640.50	\$1,632.00	\$1,623.50	\$1,615.00
SP1304	Diesel Power 5KW Package	<b>\$4,365.00</b>	\$4,342.50	\$4,320.00	\$4,297.50	\$4,275.00
SP1305	FRC LED 12 Volt Surface Lights, Set of 4	<b>\$1,552.00</b>	\$1,544.00	\$1,536.00	\$1,528.00	\$1,520.00
SP1306	FRC LED 12 Volt w/push up Poles, Set of 2	<b>\$2,320.73</b>	\$2,308.76	\$2,296.80	\$2,284.84	\$2,272.88
<b>5ASPIHSM-1400</b>	<b>Hose Reels</b>					
SP1401	100' Hose Reels for Rescue system each/ hose	<b>\$2,404.23</b>	\$2,391.84	\$2,379.45	\$2,367.05	\$2,354.66
SP1402	250' Electric Cable Reel w/12/3 electric cord	<b>\$2,607.64</b>	\$2,594.20	\$2,580.76	\$2,567.32	\$2,553.88
<b>5ASPIHSM-2200</b>	<b>Hose Reels - Nozzle Options</b>					
SP2201	Hose reel (with 200" of 1" hose and nozzle)	<b>\$3,936.56</b>	\$3,916.27	\$3,895.98	\$3,875.69	\$3,855.39
<b>5ASPIHSM-3100</b>	<b>Foam and Ladder</b>					
SP3101	Foam Pro 1600 Injection System	<b>\$5,820.00</b>	\$5,790.00	\$5,760.00	\$5,730.00	\$5,700.00
SP3102	Zico Electric Ladder System	<b>\$3,104.00</b>	\$3,088.00	\$3,072.00	\$3,056.00	\$3,040.00
<b>5ASPIWTM-2010</b>	<b>International Chassis Model 4400 StrucSural Pumper High/Low Side Waterous, Top Mount</b>					
<b>Pumpers</b>						
<b>5ASPIWTM-1100</b>	<b>Chassis</b>					
SP1101	Engine; Cummins ISC 330 HP, Allison 3000 EVS 5-Speed automatic transmission, 18,000 lb front axle, 27,000 lb rear axle, 170 inch wheelbase, seating for six.	<b>\$186,623.91</b>	\$185,661.93	\$184,699.95	\$183,737.97	\$182,775.99
	10" Half-Raised Roof available, No Extra Charge		\$0.00	\$0.00	\$0.00	\$0.00
SP1102	Front Bumper Extension, Storage Well, Aluminum	<b>\$1,389.58</b>	\$1,382.42	\$1,375.26	\$1,368.09	\$1,360.93
SP1103	Cummins 8.3 ISC 380 HP in place of 8.3 ISC 350HP	<b>\$595.53</b>	\$592.46	\$589.39	\$586.32	\$583.25
SP1104	Dual Standard Housing on Front of Cab for Emergency Lights	<b>\$2,630.27</b>	\$2,616.71	\$2,603.16	\$2,589.60	\$2,576.04
SP1105	Aluminum Wheels In Place of Wheel Covers	<b>\$1,290.32</b>	\$1,283.67	\$1,277.02	\$1,270.37	\$1,263.72
SP1106	Two Tone Cab Paint	<b>\$1,290.32</b>	\$1,283.67	\$1,277.02	\$1,270.37	\$1,263.72
SP1107	EMS Cabinet in Cab in Place of One Crew Seat	<b>\$1,069.92</b>	\$1,064.40	\$1,058.89	\$1,053.37	\$1,047.86
<b>5ASPIWTM-1200</b>	<b>Pump</b>					

Model		1	2-3	4-7	8-24	25+
Number	Vehicle Description	Unit	Units	Units	Units	Units
		3.0%	3.5%	4.0%	4.5%	5.0%
SP1201	1500 GPM Pump in Place of 1250 GPM Pump	\$1,985.11	\$1,974.88	\$1,964.65	\$1,954.42	\$1,944.18
<b>5ASPIWTM-1300</b>	<b>Generator/Light Package</b>					
SP1301	Power Take off Hydraulic Generator 8KW	\$12,376.54	\$12,312.74	\$12,248.95	\$12,185.15	\$12,121.35
SP1302	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens) Each	\$694.52	\$690.94	\$687.36	\$683.78	\$680.20
SP1302a	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens), Set of 2	\$1,358.00	\$1,351.00	\$1,344.00	\$1,337.00	\$1,330.00
SP1303	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens) Each	\$805.10	\$800.95	\$796.80	\$792.65	\$788.50
SP1303a	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens), Set of 2	\$1,649.00	\$1,640.50	\$1,632.00	\$1,623.50	\$1,615.00
SP1304	Diesel Power 5KW Package	\$4,365.00	\$4,342.50	\$4,320.00	\$4,297.50	\$4,275.00
SP1305	FRC LED 12 Volt Surface Lights, Set of 4	\$1,552.00	\$1,544.00	\$1,536.00	\$1,528.00	\$1,520.00
SP1306	FRC LED 12 Volt w/push up Poles, Set of 2	\$2,320.73	\$2,308.76	\$2,296.80	\$2,284.84	\$2,272.88
<b>5ASPIWTM-1400</b>	<b>Hose Reels</b>					
SP1401	100' Hose Reels for Rescue system each/ hose	\$2,404.23	\$2,391.84	\$2,379.45	\$2,367.05	\$2,354.66
SP1402	250' Electric Cable Reel w/12/3 electric cord	\$2,607.64	\$2,594.20	\$2,580.76	\$2,567.32	\$2,553.88
<b>5ASPIWTM-2200</b>	<b>Hose Reels - Nozzle Options</b>					
SP2201	Hose reel (with 200" of 1" hose and nozzle)	\$3,936.56	\$3,916.27	\$3,895.98	\$3,875.69	\$3,855.39
<b>5ASPIWTM-3100</b>	<b>Foam and Ladder</b>					
SP3101	Foam Pro 1600 Injection System	\$5,820.00	\$5,790.00	\$5,760.00	\$5,730.00	\$5,700.00
SP3102	Zico Electric Ladder System	\$3,104.00	\$3,088.00	\$3,072.00	\$3,056.00	\$3,040.00
<b>5ASPIWSM-2010</b>	<b>International Chassis Model 4400 StrucSural Pumper High/Low Side Waterous, Side Mount</b>					
<b>Pumpers</b>						
<b>5ASPSM-1100</b>	<b>Chassis</b>					
SP1101	Engine; Cummins ISC 330 HP, Allison 3000 EVS 5-Speed automatic transmission, 18,000 lb front axle, 27,000 lb rear axle, 170 inch wheelbase, seating for six.	\$186,623.91	\$185,661.93	\$184,699.95	\$183,737.97	\$182,775.99
	10" Half-Raised Roof available, No Extra Charge		\$0.00	\$0.00	\$0.00	\$0.00
SP1102	Front Bumper Extension, Storage Well, Aluminum	\$1,389.58	\$1,382.42	\$1,375.26	\$1,368.09	\$1,360.93
SP1103	Cummins 8.3 ISC 380 HP in place of 8.3 ISC 350HP	\$595.53	\$592.46	\$589.39	\$586.32	\$583.25
SP1104	Dual Standard Housing on Front of Cab for Emergency Lights	\$2,630.27	\$2,616.71	\$2,603.16	\$2,589.60	\$2,576.04
SP1105	Aluminum Wheels In Place of Wheel Covers	\$1,290.32	\$1,283.67	\$1,277.02	\$1,270.37	\$1,263.72

Model Number	Vehicle Description	1 Unit	2-3 Units	4-7 Units	8-24 Units	25+ Units
		3.0%	3.5%	4.0%	4.5%	5.0%
SP1106	Two Tone Cab Paint	\$1,290.32	\$1,283.67	\$1,277.02	\$1,270.37	\$1,263.72
SP1107	EMS Cabinet in Cab in Place of One Crew Seat	\$1,069.92	\$1,064.40	\$1,058.89	\$1,053.37	\$1,047.86
<b>5ASPSM-1200</b>	<b>Pump</b>					
SP1201	1500 GPM Pump in Place of 1250 GPM Pump	\$1,985.11	\$1,974.88	\$1,964.65	\$1,954.42	\$1,944.18
<b>5ASPIWSM-1300</b>	<b>Generator/Light Package</b>					
SP1301	Power Take off Hydraulic Generator 8KW	\$12,376.54	\$12,312.74	\$12,248.95	\$12,185.15	\$12,121.35
SP1302	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens) Each	\$694.52	\$690.94	\$687.36	\$683.78	\$680.20
SP1302a	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens), Set of 2	\$1,358.00	\$1,351.00	\$1,344.00	\$1,337.00	\$1,330.00
SP1303	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens) Each	\$805.10	\$800.95	\$796.80	\$792.65	\$788.50
SP1303a	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens), Set of 2	\$1,649.00	\$1,640.50	\$1,632.00	\$1,623.50	\$1,615.00
SP1304	Diesel Power 5KW Package	\$4,365.00	\$4,342.50	\$4,320.00	\$4,297.50	\$4,275.00
SP1305	FRC LED 12 Volt Surface Lights, Set of 4	\$1,552.00	\$1,544.00	\$1,536.00	\$1,528.00	\$1,520.00
SP1306	FRC LED 12 Volt w/push up Poles, Set of 2	\$2,320.73	\$2,308.76	\$2,296.80	\$2,284.84	\$2,272.88
<b>5ASPIWSM-1400</b>	<b>Hose Reels</b>					
SP1401	100' Hose Reels for Rescue system each/ hose	\$2,404.23	\$2,391.84	\$2,379.45	\$2,367.05	\$2,354.66
SP1402	250' Electric Cable Reel w/12/3 electric cord	\$2,607.64	\$2,594.20	\$2,580.76	\$2,567.32	\$2,553.88
<b>5ASPIWSM-2200</b>	<b>Hose Reels - Nozzle Options</b>					
SP2201	Hose reel (with 200" of 1" hose and nozzle)	\$3,936.56	\$3,916.27	\$3,895.98	\$3,875.69	\$3,855.39
<b>5ASPIWSM-3100</b>	<b>Foam and Ladder</b>					
SP3101	Foam Pro 1600 Injection System	\$5,820.00	\$5,790.00	\$5,760.00	\$5,730.00	\$5,700.00
SP3102	Zico Electric Ladder System	\$3,104.00	\$3,088.00	\$3,072.00	\$3,056.00	\$3,040.00
<b>5ASPIDTM-2010</b>	<b>International Chassis Model 4400 Structural Pumper High/Low Side Darley, Top Mount</b>					
<b>Pumpers</b>						
<b>5ASPSM-1100</b>	<b>Chassis</b>					
SP1101	Engine; Cummins ISC 330 HP, Allison 3000 EVS 5-Speed automatic transmission, 18,000 lb front axle, 27,000 lb rear axle, 170 inch wheelbase, seating for six.	\$186,623.91	\$185,661.93	\$184,699.95	\$183,737.97	\$182,775.99

Model Number	Vehicle Description	1 Unit	2-3 Units	4-7 Units	8-24 Units	25+ Units
		3.0%	3.5%	4.0%	4.5%	5.0%
	10" Half-Raised Roof available, No Extra Charge		\$0.00	\$0.00	\$0.00	\$0.00
SP1102	Front Bumper Extension, Storage Well, Aluminum	<b>\$1,389.58</b>	\$1,382.42	\$1,375.26	\$1,368.09	\$1,360.93
SP1103	Cummins 8.3 ISC 380 HP in place of 8.3 ISC 350HP	<b>\$595.53</b>	\$592.46	\$589.39	\$586.32	\$583.25
SP1104	Dual Standard Housing on Front of Cab for Emergency Lights	<b>\$2,630.27</b>	\$2,616.71	\$2,603.16	\$2,589.60	\$2,576.04
SP1105	Aluminum Wheels In Place of Wheel Covers	<b>\$1,290.32</b>	\$1,283.67	\$1,277.02	\$1,270.37	\$1,263.72
SP1106	Two Tone Cab Paint	<b>\$1,290.32</b>	\$1,283.67	\$1,277.02	\$1,270.37	\$1,263.72
SP1107	EMS Cabinet in Cab in Place of One Crew Seat	<b>\$1,069.92</b>	\$1,064.40	\$1,058.89	\$1,053.37	\$1,047.86
<b>5ASPSM-1200</b>	<b>Pump</b>					
SP1201	1500 GPM Pump in Place of 1250 GPM Pump	<b>\$1,985.11</b>	\$1,974.88	\$1,964.65	\$1,954.42	\$1,944.18
<b>5ASPIDTM-1300</b>	<b>Generator/Light Package</b>					
SP1301	Power Take off Hydraulic Generator 8KW	<b>\$12,376.54</b>	\$12,312.74	\$12,248.95	\$12,185.15	\$12,121.35
SP1302	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens) Each	<b>\$694.52</b>	\$690.94	\$687.36	\$683.78	\$680.20
SP1302a	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens), Set of 2	<b>\$1,358.00</b>	\$1,351.00	\$1,344.00	\$1,337.00	\$1,330.00
SP1303	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens) Each	<b>\$805.10</b>	\$800.95	\$796.80	\$792.65	\$788.50
SP1303a	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens), Set of 2	<b>\$1,649.00</b>	\$1,640.50	\$1,632.00	\$1,623.50	\$1,615.00
SP1304	Diesel Power 5KW Package	<b>\$4,365.00</b>	\$4,342.50	\$4,320.00	\$4,297.50	\$4,275.00
SP1305	FRC LED 12 Volt Surface Lights, Set of 4	<b>\$1,552.00</b>	\$1,544.00	\$1,536.00	\$1,528.00	\$1,520.00
SP1306	FRC LED 12 Volt w/push up Poles, Set of 2	<b>\$2,320.73</b>	\$2,308.76	\$2,296.80	\$2,284.84	\$2,272.88
<b>5ASPIDTM-1400</b>	<b>Hose Reels</b>					
SP1401	100' Hose Reels for Rescue system each/ hose	<b>\$2,404.23</b>	\$2,391.84	\$2,379.45	\$2,367.05	\$2,354.66
SP1402	250' Electric Cable Reel w/12/3 electric cord	<b>\$2,607.64</b>	\$2,594.20	\$2,580.76	\$2,567.32	\$2,553.88
<b>5ASPIDTM-2200</b>	<b>Hose Reels - Nozzle Options</b>					
SP2201	Hose reel (with 200" of 1" hose and nozzle)	<b>\$3,936.56</b>	\$3,916.27	\$3,895.98	\$3,875.69	\$3,855.39
<b>5ASPIDTM-3100</b>	<b>Foam and Ladder</b>					
SP3101	Foam Pro 1600 Injection System	<b>\$5,820.00</b>	\$5,790.00	\$5,760.00	\$5,730.00	\$5,700.00
SP3102	Zico Electric Ladder System	<b>\$3,104.00</b>	\$3,088.00	\$3,072.00	\$3,056.00	\$3,040.00
<b>5ASPIDSM-2010</b>	<b>International Chassis Model 4400 Structural Pumper High/Low Side Darley, Side Mount</b>					
<b>Pumpers</b>						

Model Number	Vehicle Description	1 Unit	2-3 Units	4-7 Units	8-24 Units	25+ Units
		3.0%	3.5%	4.0%	4.5%	5.0%
	<b>Commerical Chassis Structural Pumper High/Low Side Darley, Side Mount</b>					
<b>5ASPIDSM-1100</b>	<b>Chassis</b>					
SP1101	Engine; Cummins ISC 330 HP, Allison 3000 EVS 5-Speed automatic transmission, 18,000 lb front axle, 27,000 lb rear axle, 170 inch wheelbase, seating for six.	<b>\$186,623.91</b>	\$185,661.93	\$184,699.95	\$183,737.97	\$182,775.99
	10" Half-Raised Roof available, No Extra Charge		\$0.00	\$0.00	\$0.00	\$0.00
SP1102	Front Bumper Extension, Storage Well, Aluminum	<b>\$1,389.58</b>	\$1,382.42	\$1,375.26	\$1,368.09	\$1,360.93
SP1103	Cummins 8.3 ISC 380 HP in place of 8.3 ISC 350HP	<b>\$595.53</b>	\$592.46	\$589.39	\$586.32	\$583.25
SP1104	Dual Standard Housing on Front of Cab for Emergency Lights	<b>\$2,630.27</b>	\$2,616.71	\$2,603.16	\$2,589.60	\$2,576.04
SP1105	Aluminum Wheels In Place of Wheel Covers	<b>\$1,290.32</b>	\$1,283.67	\$1,277.02	\$1,270.37	\$1,263.72
SP1106	Two Tone Cab Paint	<b>\$1,290.32</b>	\$1,283.67	\$1,277.02	\$1,270.37	\$1,263.72
SP1107	EMS Cabinet in Cab in Place of One Crew Seat	<b>\$1,069.92</b>	\$1,064.40	\$1,058.89	\$1,053.37	\$1,047.86
<b>5ASPIDSM-1200</b>	<b>Pump</b>					
SP1201	1500 GPM Pump in Place of 1250 GPM Pump	<b>\$1,985.11</b>	\$1,974.88	\$1,964.65	\$1,954.42	\$1,944.18
<b>5ASPIDSM-1300</b>	<b>Generator/Light Package</b>					
SP1301	Power Take off Hydraulic Generator 8KW	<b>\$12,376.54</b>	\$12,312.74	\$12,248.95	\$12,185.15	\$12,121.35
SP1302	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens) Each	<b>\$694.52</b>	\$690.94	\$687.36	\$683.78	\$680.20
SP1302a	FRC Optimum 750 Watt, 120 Volt light package (19,600 Lumens), Set of 2	<b>\$1,358.00</b>	\$1,351.00	\$1,344.00	\$1,337.00	\$1,330.00
SP1303	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens) Each	<b>\$805.10</b>	\$800.95	\$796.80	\$792.65	\$788.50
SP1303a	FRC Optimum 900 Watt, 240 Volt light package (32,000 Lumens), Set of 2	<b>\$1,649.00</b>	\$1,640.50	\$1,632.00	\$1,623.50	\$1,615.00
SP1304	Diesel Power 5KW Package	<b>\$4,365.00</b>	\$4,342.50	\$4,320.00	\$4,297.50	\$4,275.00
SP1305	FRC LED 12 Volt Surface Lights, Set of 4	<b>\$1,552.00</b>	\$1,544.00	\$1,536.00	\$1,528.00	\$1,520.00
SP1306	FRC LED 12 Volt w/push up Poles, Set of 2	<b>\$2,320.73</b>	\$2,308.76	\$2,296.80	\$2,284.84	\$2,272.88
<b>5ASPIDSM-1400</b>	<b>Hose Reels</b>					
SP1401	100' Hose Reels for Rescue system each/ hose	<b>\$2,404.23</b>	\$2,391.84	\$2,379.45	\$2,367.05	\$2,354.66
SP1402	250' Electric Cable Reel w/12/3 electric cord	<b>\$2,607.64</b>	\$2,594.20	\$2,580.76	\$2,567.32	\$2,553.88
<b>5ASPIDSM-2200</b>	<b>Hose Reels - Nozzle Options</b>					
SP2201	Hose reel (with 200" of 1" hose and nozzle)	<b>\$3,936.56</b>	\$3,916.27	\$3,895.98	\$3,875.69	\$3,855.39
<b>5ASPIDSM-3100</b>	<b>Foam and Ladder</b>					

<b>Model</b>		<b>1</b>	<b>2-3</b>	<b>4-7</b>	<b>8-24</b>	<b>25+</b>
<b>Number</b>	<b>Vehicle Description</b>	<b>Unit</b>	<b>Units</b>	<b>Units</b>	<b>Units</b>	<b>Units</b>
		<b>3.0%</b>	<b>3.5%</b>	<b>4.0%</b>	<b>4.5%</b>	<b>5.0%</b>
SP3101	Foam Pro 1600 Injection System	<b>\$5,820.00</b>	\$5,790.00	\$5,760.00	\$5,730.00	\$5,700.00
SP3102	Zico Electric Ladder System	<b>\$3,104.00</b>	\$3,088.00	\$3,072.00	\$3,056.00	\$3,040.00